



- NOTES:**
1. ALL DIMENSIONS SHOWN IN MILLIMETERS (mm) UNLESS NOTED OTHERWISE.
  2. FOR GENERAL NOTES REFER TO DRAWING NO. M-BAR-000SD-CB00-ER-990004 TO 990006.
  3. FOR ABBREVIATION LIST REFER TO DRAWING NO. M-BAR-000SD-CB00-ER-990007.
  4. FOR SCHEDULE REFER TO DRAWING NO. M-BAR-1F4TSD-CB00-ER-00008.
  5. ALL THE COLUMNS MARKED WITH \* ARE WITH CONCRETE STRENGTH OF  $f_c$  60MPa.
  6. FOR LIFTING HOOKS DETAILS, REFER TO TKS' DRG M-BIT-1F4TSD-CML-ER-000001 TO 000003.
  7. ALL THE STAIRS CONNECTIONS BETWEEN GLASS LIFT FRAME ELEMENTS TO BE FULL-STRENGTH WELDED UNO.
  8. FOR LOCATION OF STAIRS, LIFTS AND STAIRCOSES REFER TO DRAWINGS M-BAR-1F4TSD-CB00-ER-098000, 098004 AND 098007.
  9. FOR PRECAST DETAILS OF STAIRS REFER TO STAIRS M-BAR-1F4TSD-CB00-ER-098101 AND 098201 TO 098203.

STEEL COLUMN SCHEDULE	
REF.	DIMENSIONS
SC1	SHS200x200x12.5
SC2	RHS150x100x10
SC3	RHS200x150x12.5

STEEL FRAMING SCHEDULE	
REF.	DIMENSIONS
SB1	SHS200x200x12.5
SB2	SHS150x150x10
SB3	RHS200x150x12.5
SB4	SHS300x300x16
SB5	RHS300x150x16
SB20	UKA150x150x12

↑ SPAN DIRECTION OF DECK  
FOR 200THK SLAB

**STEELWORKS ARE PROVISIONAL FOR GLASS LIFT,  
SUBJECT TO T&K FINAL COORDINATION**

[illegible]

PROJECT



CLIENT



© 2015 High Commission for the Development of ArRiyadh

BACS CONSORTIUM



LEAD DESIGN ENTITY (LDE)

BACS APPROVAL
---------------



This drawing has been Approved and  
Certified as acceptable on behalf of the  
BACS Consortium.

APPROVED BY I.D.
------------------

DATE \_\_\_\_\_

SCALE	1 : 50
-------	--------

PAPER SIZE	A1
------------	----

DRAWING STATUS		
	ISSUED FOR CONSTRUCTION	

CONSULTANT / SUB-CONTRACTOR

	DRAWN BY
--	----------

DATE 09/02/

DATE	11/11/2019
CHECKED BY	

DATE 09/02/2010

DATE	11/11/2019
CHECKED BY	

DATE 09/02/2010

	APPROVED BY
--	-------------

DATE 09/02/201

DRAWING TITLE
---------------

DEEP UNDERGROUND STATION  
LINE 1 - TRANSFER STATION 1F4  
STRUCTURE  
LIFTCORE ETE 100013  
G.A. PLAN - SHEET 2

DRAWING NUMBER	M-BAR-1F4TS0-CB00-EDR-090032
----------------	------------------------------

	REVISION
--	----------

	1999	2000	2001
1. <i>Chlamydia trachomatis</i>	10.0	10.0	10.0
2. <i>Neisseria meningitidis</i>	10.0	10.0	10.0
3. <i>Streptococcus pneumoniae</i>	10.0	10.0	10.0
4. <i>Haemophilus influenzae</i>	10.0	10.0	10.0
5. <i>Legionella pneumophila</i>	10.0	10.0	10.0
6. <i>Yersinia enterocolitica</i>	10.0	10.0	10.0
7. <i>Salmonella enteritidis</i>	10.0	10.0	10.0
8. <i>Escherichia coli</i>	10.0	10.0	10.0
9. <i>Shigella flexneri</i>	10.0	10.0	10.0
10. <i>Staphylococcus aureus</i>	10.0	10.0	10.0
11. <i>Streptococcus pyogenes</i>	10.0	10.0	10.0
12. <i>Neisseria gonorrhoeae</i>	10.0	10.0	10.0
13. <i>Haemophilus ducreyi</i>	10.0	10.0	10.0
14. <i>Chlamydia pneumoniae</i>	10.0	10.0	10.0
15. <i>Mycobacterium tuberculosis</i>	10.0	10.0	10.0
16. <i>Coccidioides immitis</i>	10.0	10.0	10.0
17. <i>Histoplasma capsulatum</i>	10.0	10.0	10.0
18. <i>Cryptosporidium parvum</i>	10.0	10.0	10.0
19. <i>Giardia lamblia</i>	10.0	10.0	10.0
20. <i>Toxoplasma gondii</i>	10.0	10.0	10.0
21. <i>Leishmania donovani</i>	10.0	10.0	10.0
22. <i>Trypanosoma brucei</i>	10.0	10.0	10.0
23. <i>Plasmodium falciparum</i>	10.0	10.0	10.0
24. <i>Amoeba baumanni</i>	10.0	10.0	10.0
25. <i>Naegleria fowleri</i>	10.0	10.0	10.0
26. <i>Microsporidium</i>	10.0	10.0	10.0
27. <i>Cryptosporidium</i>	10.0	10.0	10.0
28. <i>Isospora</i>	10.0	10.0	10.0
29. <i>Cyclospora</i>	10.0	10.0	10.0
30. <i>Microsporidium</i>	10.0	10.0	10.0
31. <i>Microsporidium</i>	10.0	10.0	10.0
32. <i>Microsporidium</i>	10.0	10.0	10.0
33. <i>Microsporidium</i>	10.0	10.0	10.0
34. <i>Microsporidium</i>	10.0	10.0	10.0
35. <i>Microsporidium</i>	10.0	10.0	10.0
36. <i>Microsporidium</i>	10.0	10.0	10.0
37. <i>Microsporidium</i>	10.0	10.0	10.0
38. <i>Microsporidium</i>	10.0	10.0	10.0
39. <i>Microsporidium</i>	10.0	10.0	10.0
40. <i>Microsporidium</i>	10.0	10.0	10.0
41. <i>Microsporidium</i>	10.0	10.0	10.0
42. <i>Microsporidium</i>	10.0	10.0	10.0
43. <i>Microsporidium</i>	10.0	10.0	10.0
44. <i>Microsporidium</i>	10.0	10.0	10.0
45. <i>Microsporidium</i>	10.0	10.0	10.0
46. <i>Microsporidium</i>	10.0	10.0	10.0
47. <i>Microsporidium</i>	10.0	10.0	10.0
48. <i>Microsporidium</i>	10.0	10.0	10.0
49. <i>Microsporidium</i>	10.0	10.0	10.0
50. <i>Microsporidium</i>	10.0	10.0	10.0
51. <i>Microsporidium</i>	10.0	10.0	10.0
52. <i>Microsporidium</i>	10.0	10.0	10.0
53. <i>Microsporidium</i>	10.0	10.0	10.0
54. <i>Microsporidium</i>	10.0	10.0	10.0
55. <i>Microsporidium</i>	10.0	10.0	10.0
56. <i>Microsporidium</i>	10.0	10.0	10.0
57. <i>Microsporidium</i>	10.0	10.0	10.0
58. <i>Microsporidium</i>	10.0	10.0	10.0
59. <i>Microsporidium</i>	10.0	10.0	10.0
60. <i>Microsporidium</i>	10.0	10.0	10.0
61. <i>Microsporidium</i>	10.0	10.0	10.0
62. <i>Microsporidium</i>	10.0	10.0	10.0
63. <i>Microsporidium</i>	10.0	10.0	10.0
64. <i>Microsporidium</i>	10.0	10.0	10.0
65. <i>Microsporidium</i>	10.0	10.0	10.0
66. <i>Microsporidium</i>	10.0	10.0	10.0
67. <i>Microsporidium</i>	10.0	10.0	10.0
68. <i>Microsporidium</i>	10.0	10.0	10.0
69. <i>Microsporidium</i>	10.0	10.0	10.0
70. <i>Microsporidium</i>	10.0	10.0	10.0
71. <i>Microsporidium</i>	10.0	10.0	10.0
72. <i>Microsporidium</i>	10.0	10.0	10.0
73. <i>Microsporidium</i>	10.0	10.0	10.0
74. <i>Microsporidium</i>			