



- NOTES:**
1. ALL DIMENSIONS SHOWN IN MILLIMETERS (mm) UNLESS NOTED OTHERWISE.
 2. FOR GENERAL NOTES REFER TO DRAWING No. M-BAR-000D50-CB00-EDR-990004 TO 990006.
 3. FOR ABBREVIATION LIST REFER TO DRAWING No. M-BAR-000D50-CB00-EDR-990007.
 4. FOR SCHEDULE REFER TO DRAWING No. M-BAR-1F4T50-CB00-EDR-000008.
 5. ALL THE COLUMNS MARKED WITH * ARE WITH CONCRETE STRENGTH OF f_c 60 MPa.
 6. FOR LOCATION OF STAIRS, LIFTS AND STAIRCORES REFER TO DRAWINGS M-BAR-1F4T50-CB00-EDR-098000, 098004 AND 098007.
 7. FOR PRECAST DETAILS OF STAIRS REFER TO DRAWINGS M-BAR-1F4T50-CB00-EDR-098101 AND 098201 TO 098203.

* = STEEL ELEMENTS TO BE 1-HOUR FIRE RATED

STEEL COLUMN SCHEDULE	
REF.	DIMENSIONS
SC1	SHS200x200x12.5
SC2	RHS150x100x10
SC3	RHS200x150x12.5

STEEL FRAMING SCHEDULE	
REF.	DIMENSIONS
SB1	SHS200x200x12.5
SB2	SHS150x150x10
SB3	RHS200x150x12.5
SB4	SHS300x300x16
SB5	RHS300x150x16
SB20	UKA150x150x12

**STEELWORKS ARE
PROVISIONAL FOR GLASS
LIFT, SUBJECT TO T&K FINAL
COORDINATION**

[illegible]

PROJECT	
---------	--



CLIENT



لَهَبِيَّةُ الْعُلَيَّا
تَطَوَّرَ مَدِينَةُ الرِّيَاضِ

© 2015 High Commission for the Development of ArRiyadh

BACS CONSORTIUM



LEAD DESIGN ENTITY (LDE)

BACS APPROVAL



This drawing has been Approved and
Certified as acceptable on behalf of the
BACS Consortium.

APPROVED BY LDE
NAME
DATE

SCALE	
-------	--

1 : 50

PAPER
SIZE **A1**

DRAWING STATUS			
ISSUED FOR CONSTRUCTION			

CONSULTANT / SUB-CONTRACTOR

DRAWN BY	
NAME	G.BROGIO
DATE	09/02/

DRAWN BY	
NAME	G.BROGIO
DATE	09/02/

CHECKED BY	
NAME	C.LAM
DATE	09/02/20

CHECKED BY	
NAME	C.LAM
DATE	09/02/20

	APPROVED BY
	NAME
	J.BATCHELOR
	DATE 09/02/201

	APPROVED BY
	NAME
	J.BATCHELOR
	DATE 09/02/201

DRAWING TITLE

DEEP UNDERGROUND STATION
LINE 1 - TRANSFER STATION 1F4
STRUCTURE
LIFTCORE ETE 100013
ELEVATION

DRAWING NUMBER	M-BAR-1F4TS0-CB00-EDR-090035
----------------	------------------------------

REVISION

001